

CHRYSO®Delta G533- PF000235G



## MATERIAL SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)



### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : CHRYSO®Delta G533

Product code : PF000235G.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Concrete and mortar admixture.

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : CHRYSO INDIA PRIVATE LTD..

Address : Plot No. 1401/I, 3rd Phase, GIDC. Vapi - 396195, Gujarat - INDIA.

Telefax : +91 0260-2400828.

.4. Emergency telephone number : .

Association/Organisation : .

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Skin sensitisation (Xi, R 43).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

Signal Word :

WARNING

Product identifiers :

CAS 55965-84-9 MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND  
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)

Hazard statements :

H317 May cause an allergic skin reaction.

Precautionary statements - Prevention :

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response :

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see ... on this label).

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Precautionary statements - Disposal :

P501 Dispose of contents/container to ...

**CHRYSO®Delta G533- PF000235G**



### 2.3. Other hazards

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) by the European Chemical Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>  
The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

### 3.2. Mixtures

#### Composition :

Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: S000001 CAS: 112-18-5 EC: 203-943-8 <b>DODECYLDIMETHYLAMINE</b>	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 M Acute = 10	C,N C;R34 Xn;R2 2 N;R50		0 <= x % < 2.5
INDEX: S000736 CAS: 1120-24-7 EC: 214-302-7 <b>DECYLDIMÉTHYLAMINE</b>	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 M Acute = 10	C,N C;R34 Xn;R2 2 N;R50		0 <= x % < 2.5
INDEX: 613_167_00_5 CAS: 55965-84-9 <b>MIXTURE OF: 5-CHLORO-2-METHYL-4- ISOTHIAZOLIN-3- ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)</b>	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	T,N T;R23/24/25 C;R34 Xi;R43 N;R50/53		0 <= x % < 2.5

## SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5 : FIREFIGHTING

MEASURES Non-flammable.

### 5.1. Extinguishing media

No data available.



CHRYSO® Delta G533- PF000235G



### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

### 5.3. Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non fire-fighters

Avoid any contact with the skin and eyes.

#### For fire-fighters

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention :

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

No data available.

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**CHRYSO®Delta G533- PF000235G**



- Eye / face protection  
Avoid contact with eyes.  
Use eye protectors designed to protect against liquid splashes  
Before handling, wear safety goggles in accordance with standard EN166.



- Hand protection

- Wear suitable protective gloves in the event of prolonged or repeated skin contact.
- Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.
- Gloves must be selected according to the application and duration of use at the workstation.
- Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

General information :

Physical state :	Fluid liquid.
Odour	Characteristic
Colour	Brown

Important health, safety and environmental information

pH :	6.50 . neutral.
Boiling point/boiling range :	not relevant.
Flash point interval :	not relevant.
Vapour pressure (50°C) :	not relevant.
Density :	> 1
Water solubility :	Soluble.
Melting point/melting range :	not relevant.
Self-ignition temperature :	not relevant.
Decomposition point/decomposition range :	not relevant.

9.2. Other information

No data available.

**SECTION 10 : STABILITY AND REACTIVITY**

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

**CHRYSO®Delta G533- PF000235G**



**10.4. Conditions to avoid**

Avoid :

- frost

**10.5. Incompatible materials**

No data available.

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**11.1. Information on toxicological effects**

May cause an allergic reaction by skin contact.

**11.1.1. Substances**

Acute toxicity :

**DECYLDIMÉTHYLAMINE (CAS: 1120-24-7)**

Oral route : DL50 = 1100 mg/kg  
Species : Rat

Dermal route : DL50 = 3000 mg/kg  
Species : Rabbit

**DODECYLDIMETHYLAMINE (CAS: 112-18-5)**

Oral route : DL50 = 1220 mg/kg  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

**Skin corrosion/skin irritation :**

**DECYLDIMÉTHYLAMINE (CAS: 1120-24-7)**

Corrosivity : Causes severe skin burns.  
Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious damage to eyes/eye irritation :**

**DODECYLDIMETHYLAMINE (CAS: 112-18-5)**

Corneal haze : Average score = 0  
Species : Rabbit OECD Guideline 437 (Bovine Corneal Opacity and Permeability Test Method for Identifying Ocular Corrosives and Severe Irritants)

Iritis : Average score = 1

**Germ cell mutagenicity :**

**DODECYLDIMETHYLAMINE (CAS: 112-18-5)**

No mutagenic effect.

Mutagenesis (in vivo) :

Negative.  
OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

OECD Guideline 471 (Bacterial Reverse Mutation Assay)

**Carcinogenicity :**

**DODECYLDIMETHYLAMINE (CAS: 112-18-5)**

Carcinogenicity Test :

Negative.  
No carcinogenic effect.  
OECD Guideline 451 (Carcinogenicity Studies)

**CHRYSO®Delta G533- PF000235G**



**Reproductive toxicant :**

**DODECYLDIMETHYLAMINE**  
(CAS: 112-18-5) No toxic effect for reproduction

OECD Guideline 414 (Prenatal Developmental Toxicity Study)



**11.1.2. Mixture**

No toxicological data available for the mixture.

**SECTION 12 : ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**12.1.1. Substances**

**DECYLDIMÉTHYLAMINE (CAS: 1120-24-7)**

**Fish toxicity :** LC50 = 1.8 mg/l  
Species : Oncorhynchus mykiss  
Duration of exposure : 96 h  
OECD Guideline 203 (Fish, Acute Toxicity Test)

**Crustacean toxicity :** EC50 = 0.93 mg/l  
Factor M = 1  
Species : Daphnia magna  
Duration of exposure : 48 h

**Algae toxicity :** ECr50 = 0.046 mg/l  
Factor M = 10  
Species : Desmodesmus subspicatus  
Duration of exposure : 72 h  
OECD Guideline 201 (Alga, Growth Inhibition Test)

**DODECYLDIMETHYLAMINE (CAS: 112-18-5)**

**Fish toxicity :** LC50 = 0.57 mg/l  
Factor M = 1  
Species : Oncorhynchus mykiss  
Duration of exposure : 96 h  
OECD Guideline 203 (Fish, Acute Toxicity Test)

**Crustacean toxicity :** EC50 = 0.83 mg/l  
Factor M = 1  
Species : Daphnia magna  
Duration of exposure : 48 h  
OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

**Algae toxicity :** ECr50 = 0.014 mg/l  
Factor M = 10  
Species : Scenedesmus subspicatus  
Duration of exposure : 72 h  
OECD Guideline 201 (Alga, Growth Inhibition Test)

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability**

**12.2.1. Substances**

**DECYLDIMÉTHYLAMINE (CAS: 1120-24-7)**

**Biodegradability :** Fast degrading.

**DODECYLDIMETHYLAMINE (CAS: 112-18-5)**

**Biodegradability :** Fast degrading.

**CHRYSO®Delta G533- PF000235G**



**12.3. Bioaccumulative potential**

No

data available. 12.4.

**Mobility in soil** No  
data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Other adverse effects**

No data available.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

**SECTION 15 : REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**- Classification and labelling information included in section 2:**

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- Regulation EC 1272/2008 modified by regulation EC 618/2012

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

**Hazard symbols :**



**Irritant**

**CHRYSO®Delta G533- PF000235G**



**Contains :**  
CAS 55965-84-9                      **MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND**  
**2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)**

**Risk phrase :**

**R 43**                                      **May cause sensitisation by skin contact.**

**Safety phrase :**

**S 24**                                      **Avoid contact with skin.**

**S 37**                                      **Wear suitable gloves.**

**Title for H, EUH and R indications mentioned in section 3 :**

- H301**                                      **Toxic if swallowed.**
- H302**                                      **Harmful if swallowed.**
- H311**                                      **Toxic in contact with skin.**
- H314**                                      **Causes severe skin burns and eye damage.**
- H317**                                      **May cause an allergic skin reaction.**
- H331**                                      **Toxic if inhaled.**
- H400**                                      **Very toxic to aquatic life.**
- H410**                                      **Very toxic to aquatic life with long lasting effects.**
- R 22**                                      **Harmful if swallowed.**
- R 23/24/25**                              **Toxic by inhalation, in contact with skin and if swallowed.**
- R 34**                                      **Causes burns.**
- R 43**                                      **May cause sensitisation by skin contact.**
- R 50**                                      **Very toxic to aquatic organisms.**
- R 50/53**                                      **Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**

**Abbreviations :**

- ADR : European agreement concerning the international carriage of dangerous goods by Road.**
- IMDG : International Maritime Dangerous Goods.**
- IATA : International Air Transport Association.**
- ICAO : International Civil Aviation Organisation**
- RID : Regulations concerning the International carriage of Dangerous goods by rail.**
- WGK : Wassergefahrdungsklasse (Water Hazard Class).**
- GHS07 : Exclamation mark**